

## Certificate of Verification

XL3t-69288

Reading No 8  
Mode Mining  
Time 2017-02-14 12:51  
Duration 121.79  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P1 RAHMENPLATTE IS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	132.694
La	1.000	+/-	75.876
Ba	80.147	+/-	65.926
Sb	1.000	+/-	34.846
Sn	1.000	+/-	12.612
Cd	1.000	+/-	7.517
Ag	14.121	+/-	5.928
Bal	791698.313	+/-	1611.868
Nb	1.000	+/-	6.099
Zr	1.000	+/-	23.260
Y	1.000	+/-	6.129
Sr	1.000	+/-	13.248
Rb	1.000	+/-	12.149
Th	1.000	+/-	337.391
Bi	1.000	+/-	259.698
Au	1835.542	+/-	110.821
As	1183.380	+/-	56.867
Se	1.000	+/-	13.455
Pb	1984.466	+/-	51.232
Hg	17549.572	+/-	218.233
Zn	604.121	+/-	54.368
Cu	246.916	+/-	28.855
Ni	45.879	+/-	44.598
Co	1.000	+/-	112.755
Fe	31804.781	+/-	459.371
Mn	1065.953	+/-	123.119
Cr	302.965	+/-	33.702
V	62.737	+/-	36.510
Ti	996.595	+/-	202.577
Ca	55798.703	+/-	641.555
K	5902.786	+/-	259.284
Al	9440.604	+/-	969.964
P	22595.227	+/-	327.118
Si	36576.227	+/-	805.250
Cl	2142.341	+/-	46.062
S	18068.645	+/-	204.524
Mg	1.000	+/-	7348.419

Supervised By: \_\_\_\_\_

## Certificate of Verification

XL3t-69288

Reading No 9  
Mode Mining  
Time 2017-02-14 12:54  
Duration 120.63  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P2 RAHMEN PROFIL IS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	103.428
La	1.000	+/-	47.596
Ba	1.000	+/-	50.842
Sb	1.000	+/-	19.785
Sn	1.000	+/-	8.897
Cd	1.000	+/-	6.066
Ag	62.603	+/-	6.619
Bal	887667.625	+/-	644.326
Nb	1.000	+/-	3.109
Zr	1.000	+/-	12.246
Y	1.000	+/-	2.509
Sr	319.745	+/-	6.679
Rb	52.174	+/-	8.477
Th	1.000	+/-	188.988
Bi	1.000	+/-	140.014
Au	8427.547	+/-	99.015
As	319.768	+/-	24.211
Se	1.000	+/-	10.358
Pb	916.901	+/-	21.402
Hg	70.509	+/-	9.403
Zn	198.386	+/-	20.808
Cu	400.753	+/-	22.709
Ni	1.000	+/-	26.357
Co	1.000	+/-	42.800
Fe	7250.243	+/-	143.913
Mn	1.000	+/-	61.587
Cr	146.808	+/-	23.422
V	33.627	+/-	21.451
Ti	812.205	+/-	121.832
Ca	44581.113	+/-	407.393
K	3157.294	+/-	159.907
Al	1.000	+/-	886.129
P	28176.879	+/-	342.399
Si	3969.212	+/-	427.521
Cl	2143.691	+/-	45.881
S	11292.985	+/-	131.647
Mg	1.000	+/-	6845.087

Supervised By: \_\_\_\_\_

### Certificate of Verification

XL3t-69288

Reading No 10  
Mode Mining  
Time 2017-02-14 12:58  
Duration 121.65  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P3 GOLDGRUND IS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	90.178
La	1.000	+/-	41.366
Ba	1.000	+/-	44.461
Sb	1.000	+/-	16.980
Sn	52.321	+/-	9.219
Cd	10.674	+/-	6.152
Ag	10.830	+/-	4.261
Bal	739522.875	+/-	1263.976
Nb	1.000	+/-	2.077
Zr	1.000	+/-	7.985
Y	3.579	+/-	2.235
Sr	433.185	+/-	7.307
Rb	24.022	+/-	5.757
Th	1.000	+/-	139.370
Bi	1.000	+/-	91.076
Au	4782.973	+/-	66.050
As	31.533	+/-	11.798
Se	1.000	+/-	7.356
Pb	221.516	+/-	10.162
Hg	7.318	+/-	5.955
Zn	153.178	+/-	16.356
Cu	115.289	+/-	15.316
Ni	1.000	+/-	25.187
Co	1.000	+/-	39.737
Fe	6939.690	+/-	135.126
Mn	1.000	+/-	74.638
Cr	112.881	+/-	27.089
V	1.000	+/-	35.121
Ti	1066.139	+/-	152.563
Ca	164981.063	+/-	995.541
K	3401.045	+/-	185.120
Al	9341.028	+/-	1245.893
P	40996.238	+/-	435.713
Si	13890.980	+/-	689.123
Cl	1090.977	+/-	40.320
S	12810.664	+/-	145.776
Mg	1.000	+/-	11784.565

Supervised By: \_\_\_\_\_

## Certificate of Verification

XL3t-69288

Reading No 11  
Mode Mining  
Time 2017-02-14 13:05  
Duration 121.68  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P4 DOSE IS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	74.393
La	1.000	+/-	34.207
Ba	1.000	+/-	37.060
Sb	14.147	+/-	13.561
Sn	39.908	+/-	9.291
Cd	18.133	+/-	5.504
Ag	394.437	+/-	11.629
Bal	861455.000	+/-	724.951
Nb	8.515	+/-	5.478
Zr	1.000	+/-	23.344
Y	1.000	+/-	4.452
Sr	189.396	+/-	4.821
Rb	1.000	+/-	11.865
Th	1.000	+/-	289.726
Bi	1.000	+/-	311.594
Au	755.544	+/-	27.254
As	1300.408	+/-	50.675
Se	1.000	+/-	6.270
Pb	5088.224	+/-	61.219
Hg	347.257	+/-	11.631
Zn	149.867	+/-	12.895
Cu	970.048	+/-	30.362
Ni	1.000	+/-	21.623
Co	1.000	+/-	28.145
Fe	2988.590	+/-	89.636
Mn	1.000	+/-	51.544
Cr	59.743	+/-	17.250
V	1.000	+/-	27.006
Ti	1.000	+/-	164.073
Ca	83937.188	+/-	737.149
K	4943.615	+/-	192.272
Al	4925.576	+/-	770.613
P	4862.654	+/-	163.218
Si	10304.890	+/-	463.050
Cl	3072.187	+/-	54.556
S	14174.616	+/-	165.585
Mg	1.000	+/-	6633.532

Supervised By: \_\_\_\_\_

## Certificate of Verification

XL3t-69288

Reading No 12  
Mode Mining  
Time 2017-02-14 13:09  
Duration 121.46  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P5 DOSE GEWAND IS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	82.890
La	1.000	+/-	37.888
Ba	1.000	+/-	40.627
Sb	1.000	+/-	16.334
Sn	11.337	+/-	10.525
Cd	12.521	+/-	5.871
Ag	624.154	+/-	16.005
Bal	874232.250	+/-	695.705
Nb	10.437	+/-	7.048
Zr	1.000	+/-	25.330
Y	1.000	+/-	5.895
Sr	219.451	+/-	5.537
Rb	1.000	+/-	17.293
Th	1.000	+/-	372.103
Bi	1.000	+/-	366.681
Au	874.736	+/-	30.753
As	1685.385	+/-	64.256
Se	1.000	+/-	7.717
Pb	7706.628	+/-	92.230
Hg	285.071	+/-	12.069
Zn	141.418	+/-	13.890
Cu	2784.440	+/-	56.526
Ni	1.000	+/-	23.033
Co	1.000	+/-	37.422
Fe	6165.974	+/-	135.665
Mn	66.550	+/-	53.885
Cr	54.683	+/-	20.643
V	1.000	+/-	26.223
Ti	200.635	+/-	96.966
Ca	65786.945	+/-	664.044
K	5515.798	+/-	203.185
Al	2442.552	+/-	635.272
P	4114.370	+/-	147.169
Si	9969.356	+/-	433.194
Cl	3425.430	+/-	57.497
S	13669.905	+/-	168.366
Mg	1.000	+/-	6569.846

Supervised By: \_\_\_\_\_

## Certificate of Verification

XL3t-69288

Reading No 13  
Mode Mining  
Time 2017-02-14 13:13  
Duration 120.09  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P6 KRONE AS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	111.224
La	1.000	+/-	50.966
Ba	1.000	+/-	54.743
Sb	1.000	+/-	21.249
Sn	229.718	+/-	17.100
Cd	11.289	+/-	7.501
Ag	684.443	+/-	19.384
Bal	871076.188	+/-	841.697
Nb	12.308	+/-	9.866
Zr	1.000	+/-	35.388
Y	1.000	+/-	8.335
Sr	355.166	+/-	8.828
Rb	1.000	+/-	21.945
Th	1.000	+/-	513.921
Bi	1.000	+/-	505.563
Au	947.014	+/-	41.452
As	3444.073	+/-	97.942
Se	1.000	+/-	12.659
Pb	11218.899	+/-	153.303
Hg	840.246	+/-	23.203
Zn	136.167	+/-	16.932
Cu	1834.402	+/-	51.952
Ni	1.000	+/-	29.622
Co	1.000	+/-	40.988
Fe	4551.095	+/-	135.211
Mn	1.000	+/-	65.213
Cr	27.600	+/-	22.153
V	17.528	+/-	17.348
Ti	1.000	+/-	118.434
Ca	52798.113	+/-	673.444
K	2644.425	+/-	226.426
Al	1409.758	+/-	778.900
P	11093.325	+/-	264.972
Si	9326.816	+/-	518.350
Cl	3707.193	+/-	74.489
S	23634.242	+/-	323.743
Mg	1.000	+/-	8498.418

Supervised By: \_\_\_\_\_

## Certificate of Verification

XL3t-69288

Reading No 14  
Mode Mining  
Time 2017-02-14 13:17  
Duration 121.54  
Units ppm  
Sigma Value 2  
Sequence Final  
Flags  
INV NR Gm149  
OBJEKT TAFELGEMAELEN  
MATERIAL HOLZ METALL FASSUNG  
ANALYSESTELLE P7 RAHMEN PROFIL AS  
MESSAUFBAU STATIV  
FILTER m30lo30hi30li30  
User Login Raquet



	ppm	+/-	Error
Ce	-339.000	+/-	99.063
La	1.000	+/-	45.772
Ba	1.000	+/-	48.671
Sb	1.000	+/-	16.369
Sn	1.000	+/-	9.108
Cd	1.000	+/-	9.453
Ag	9.782	+/-	4.513
Bal	781037.375	+/-	1327.554
Nb	18.957	+/-	11.239
Zr	1.000	+/-	39.821
Y	1.000	+/-	9.329
Sr	268.331	+/-	7.267
Rb	1.000	+/-	28.153
Th	1.000	+/-	581.143
Bi	1.000	+/-	489.107
Au	2478.065	+/-	58.928
As	3638.589	+/-	106.770
Se	1.000	+/-	11.164
Pb	14909.064	+/-	191.868
Hg	1.000	+/-	9.215
Zn	156.688	+/-	15.627
Cu	98.062	+/-	16.770
Ni	1.000	+/-	28.154
Co	1.000	+/-	38.382
Fe	4245.154	+/-	127.950
Mn	1.000	+/-	108.701
Cr	53.167	+/-	21.592
V	1.000	+/-	29.563
Ti	498.017	+/-	109.679
Ca	92326.492	+/-	1006.097
K	3980.431	+/-	179.561
Al	12317.015	+/-	1111.590
P	19685.611	+/-	334.263
Si	27330.357	+/-	745.043
Cl	3791.019	+/-	66.664
S	24197.061	+/-	298.620
Mg	8960.742	+/-	8570.271

Supervised By: \_\_\_\_\_